


BI-METAL THERMOMETERS (ANGLE ADJUSTABLE TYPE)

ANGLE ADJUSTABLE BI-METAL THERMOMETERS ALLOW MOVEMENT OF THE HEAD THROUGH A FULL 90 DEGREES ROTATION WHICH PERMITS ITS POSITION TO BE SET FOR A MAXIMUM READABILITY AFTER INSTALLATION.

- CASE & CONNECTION MATERIAL : 304 STAINLESS STEEL
- PARTS OF CONNECTION : SUS316; OTHERS CAN BE MADE BY ORDERED
- SENSOR BULB : SUS304 OR SUS316
- DIAL SCALE PLATE : ALUMINUM; WHITE BACKGROUND WITH BLACK FIGURES & MARKS
- TEMPERATURE RANGE : -50 ~ +600 ° C
- SENSOR BULB DIAMETER : STANDARD Ø6.35MM; Ø4~Ø12MM CAN BE MADE BY ORDERED
- LENGTH OF SENSOR BULB : 2" ~60" BY ORDERS
- ACCURACY : +/-1.0% ON FULL SCALE
- HL ELECTRIC CONTACTS CAN BE INSTALLED ADDITIONALLY.

ADJUSTABLE ANGLE TYPE



BA TYPE

	(mm)						
	a	b	c	d	e	h	s
BA 3"	70	85	19	75	94	1/4PT	4Ø } 12Ø
BA 4"	101	119	20	75	-	1/2PT	
BA 5"	114	130	22	75	97		
BA 6"	140	160	32	75	107		